



深圳市普世达科技有限公司 Shenzhen Powerstar Technology Co. Ltd.



E-catalog

深圳市普世达科技有限公司

Shenzhen Powerstar Technology Co. Ltd.
Address :3F,Building C,2nd MingJinghai Industrial Park ,
ZhoushiRoad ,Shiyan Town ,Baoan District ,
Shenzhen ,China
TEL: 0755-81784030 Fax :0755-81784030
Email :info@pstarled.com
Website : www.ledpstar.com

高端商业照明制造服务商
Commercial Lighting
Manufacturer and Solutions
2018-2019

ABOUT – US

Introduction:

Shenzhen Powerstar Technology Co. Ltd was established in 2010, located in Shenzhen China, was one modernized high tech company focused on R&D , design , production , sales&service of high-end commercial lighting , also with advanced leading innovation capability.

Quality control:

Powerstar has passed the ISO9001:2015 quality system certification standards, the product passed **TUV/VDE/CB/CE/SAA/RoHS/SASO** certification. Powerstar has high-precision optical inspection equipment and automated production equipment, and high-performance aging inspection equipment to ensure the quality of each lamp.

Partner:

Powerstar has established a good strategic cooperative relationship with some well-known companies at home and abroad, including OSRAM, Citizen, Cree, Tridonic, Philips and Meanwell.

Powerstar Products :

Powerstar focus on high light efficient, low light decay, low UGR, flicker free commercial lamps include: led downlight, led track light, gimmable led dowlight, grille led downlights, linear led light. With many new styles and full of specificatins widely used in hotel, shopping mall, clothes chain store , 4S car shops, office,furniture store, jewelry store, theaters, parking lots, hospitals, subways and other high-end engineering projects.

The Products combine the light and the environment space perfectly, and realize the organic combination of the practicability, function, comfort,science and artistry of light.

Values:

Thanksgiving, integrity, communication, strong execution, transcendence and win-win.

Mission:

To bring health, comfort light into people's lives.

Vision:

To create the most harmonious win-win relationship among employees, customers, shareholders and business partners.

CONTENTS

Special Color Lighting Solutions

P01–P06

Lighting Function Solutions

P07–P12

Led Track Light

P14–P25



Led Linear Track Light

P27–P28



Led Downlight

P32–P38



Surface Mounted Led Downlight

P41



Gimable Led Downlight

P42



Grille Led Downlight


P43



Main Projects

P44–P45

CCT/SDCM/CRI



3-step MacAdam Ellipse

Ver.6 High Intensity COB Ver.2

80 CRI Min.:2,700K,3,000K,3,500K,4,000K,5,000K,5,700K,6,500K

90 CRI Min.:2,700K,3,000K,3,500K,4,000K,5,700K

Below B.B.L


90 CRI Min.:2,700K,3,000K,3,500K

Super High CRI

97 CRI Typ.:2,700K,3,000K,4,000K

Explanatory notes | — 2-Step MacAdam ellipse — 3-Step MacAdam ellipse — ANSI 7-Step quadrangle
*2-Step/3-Step MacAdam ellipse is based on ANSI 7-Step quadrangle


Full Spectrum




Fashion

In clothes shops, light is a decisive factor in helping customers browse, choose, buy and afterwards, remember fondly the shopping experience. They may not be able to explain what it was that enchanted them, but we know: it's the light. Because in retail, the way you showcase items, the visual part of the experience, is one of the most important things.

For Powerstar special color has a very high color rendering index (95) which makes it suitable to render the true texture and shade of every piece of fabric. It also has zero UV emissions, a huge advantage in the fashion business, since the lack of UV rays prevents discoloration and fading





Fresh Food



1. Energy saving, NO UV & proper light explosion Keep food safe from discoloration & degradation.
2. Influence buying behavior.
3. Enhance the value perception of both merchandise and store brand.
4. Improve customer experience.
5. Increase revenue and productivity.



Special color enhances the natural shadow of fruits and vegetables, which makes them fresh at first sight.



Special color can enhance the redness and freshness of the meat products. Especially it can raise the contrast between red and white. It also brings out the red the pink hues even if the frozen meat packed in protective transparent film.



Special color brings out the appetizing redness of the flesh and cool sheen of the skin, which makes as if it was just caught.



Special color enhances the yellow shadow of bakery products, which makes it look particularly appealing and crisp as if just taken out of the oven.

Fresh Food

Light with special color can deliver an amazing customer experience, and customer experience delivers revenues for your business.

Car showrooms

Special color with CRI95 makes the car looking more metal feeling, fashion and luxury.



Exhibition

This LED module offers the high quality of light required for displaying high value exhibits.



For exhibition lighting, three important things need to be met:

1. "Safety" –protecting exhibits.
Control and decrease the light influence on material and color of exhibits. Also control the exposure of exhibits.
Chose special LED chip with no UV and UR, reducing light radiation.
2. "True" –with high CRI and correct color temperature.
3. "Comfort" –Completely considering exhibition space and light hues and saturation to get sight comfort.



Potentiometer Dimmable Led Track Light



Built-in Dimmable Driver



Dimming Range 1%~100%



Zoomable Led Track Light






Dimmable and CCT Tunable Led Track Light



Microwave Sensor LED Track Light




CCT Tunable


Color Temperature



Brightness



Lumens Dimmable




Detecting angle
150°

6-8M Radius

Into the detection range, the light automatically on
and people leave out light automatically off




RGB Led Track Light



External Controlling: DMX512




3-Step CCT Tunable Led Track Light




LED TRACK LIGHT

Peking Series



CHIP PARTNERS

CREE LUMINUS



Model PS-TL7A55

Power : 7W

Material: ALU

Lumen : 40-50Lm/w

CRI : 83/92Ra

PF : >0.9

SDCM : <3

THD : <15

Input Voltage: AC220-240V, 50/60Hz

Beam Angle: 6°

CCT: 2700/3000/3500/4000/5000K

Track: 2wire/3wire/4wire/6wire


Housing Color: Black/White

Warranty: 5 years

Optics : Lens

LED TRACK LIGHT

Peking Series




DRIVER PARTNERS

TRIDONIC PHILIPS OSRAM ECKE

CHIP PARTNERS

CITIZEN CREE BRIDGELUX LUMINUS



Model: PS-TL12/15A66

Power : 12W /15W

Material: ALU

Lumen : 90~100Lm/w

CRI : 83/92/97Ra

PF : >0.9

SDCM : <3

THD : <15

Input Voltage: AC220~240V, 50/60Hz

Beam Angle: 15° /24° /36°

CCT: 2700/3000/3500/4000/5000K

Track: 2wire/3wire/4wire/6wire


Housing Color: Black/White

Warranty: 5 years

Optics: Reflector

LED TRACK LIGHT

Peking Series




DRIVER PARTNERS

TRIDONIC PHILIPS OSRAM ECKE

CHIP PARTNERS

CITIZEN CREE BRIDGELUX LUMINUS



Model: PS-TL30/35/40A90

Power : 30W /35W/40W

Material: ALU

Lumen : 100~110Lm/w

CRI : 83/92/97Ra

PF : >0.9

SDCM : <3

THD : <15

Input Voltage: AC220~240V, 50/60Hz

Beam Angle: 15° /24° /38° /60°

CCT: 2700/3000/3500/4000/5000K

Track: 2wire/3wire/4wire/6wire


Housing Color: Black/White

Warranty: 5 years

Optics: Reflector

LED TRACK LIGHT

Peking Series




DRIVER PARTNERS

TRIDONIC PHILIPS OSRAM EOXE

CHIP PARTNERS

CITIZEN CREE BRIDGELUX LUMINUS




Model: PS-TL35A90H1

Power : 35W	Input Voltage: AC220~240V, 50/60Hz
Material: ALU	Beam Angle: 20° /30° /60°
Lumen : 130~135Lm/w	CCT: 2700/3000/3500/4000/5000K
CRI : 83/92/97Ra	Track: 2wire/3wire/4wire/6wire
PF : >0.9	Housing Color: Black/White
SDCM : <3	Warranty: 5 years
THD : <15	Optics: Reflector

LED TRACK LIGHT

Peking Series




DRIVER PARTNERS

TRIDONIC PHILIPS OSRAM EOXE

CHIP PARTNERS

CITIZEN CREE BRIDGELUX LUMINUS




Model: PS-TL35A90H2

Power : 35W	Input Voltage: AC220~240V, 50/60Hz
Material: ALU	Beam Angle: 20° /30° /45° /60°
Lumen : 135~145Lm/w	CCT: 2700/3000/3500/4000/5000K
CRI : 83/92/97Ra	Track: 2wire/3wire/4wire/6wire
PF : >0.9	Housing Color: Black/White
SDCM : <3	Warranty: 5 years
THD : <15	Optics: Reflector

LED TRACK LIGHT

Peking Series




DRIVER PARTNERS

TRIDONIC PHILIPS OSRAM ECKE

CHIP PARTNERS

CITIZEN CREE BRIDGELUX LUMINUS



Model: PS-TL30/35/40/50B90

Power : 30W /35W/40W/50W

Material: ALU

Lumen : 100-110Lm/w

CRI : 83/92/97Ra

PF : >0.9

SDCM : <3

THD : <15

Input Voltage: AC220-240V, 50/60Hz

Beam Angle: 15° /24° /38° /60°

CCT: 2700/3000/3500/4000/5000K

Track: 2wire/3wire/4wire/6wire


Housing Color: Black/White

Warranty: 5 years

Optics: Reflector

LED TRACK LIGHT

Peking Series




DRIVER PARTNERS

TRIDONIC PHILIPS OSRAM ECKE

CHIP PARTNERS

CITIZEN CREE BRIDGELUX LUMINUS



Model: PS-TL30/35/40C90

Power : 30W /35W/40W

Material: ALU

Lumen : 100-110Lm/w

CRI : 83/92/97Ra

PF : >0.9

SDCM : <3

THD : <15

Input Voltage: AC220-240V, 50/60Hz

Beam Angle: 15° /24° /38° /60°

CCT: 2700/3000/3500/4000/5000K

Track: 2wire/3wire/4wire/6wire


Housing Color: Black/White

Warranty: 5 years

Optics: Reflector

LED TRACK LIGHT

Rome Series




DRIVER PARTNERS

TRIDONIC PHILIPS OSRAM ECKE

CHIP PARTNERS

CITIZEN CREE BRIDGELUX LUMINUS



Model: PS-TL20/25/30D80

Power : 20W /25W/30W

Material: ALU

Lumen : 90-100Lm/w

CRI : 83/92/97Ra

PF : >0.9

SDCM : <3

THD : <15

Input Voltage: AC220-240V, 50/60Hz

Beam Angle: 15° /24° /38° /60°

CCT: 2700/3000/3500/4000/5000K

Track: 2wire/3wire/4wire/6wire


Housing Color: Black/White

Warranty: 5 years

Optics: Lens

LED TRACK LIGHT

Rome Series




DRIVER PARTNERS

TRIDONIC PHILIPS OSRAM ECKE

CHIP PARTNERS

CITIZEN CREE BRIDGELUX LUMINUS



Model: PS-TL20/25/30/35E80

Power : 20W /25W/30W/35W

Material: ALU

Lumen : 90-100Lm/w

CRI : 83/92/97Ra

PF : >0.9

SDCM : <3

THD : <15

Optics : Lens

Input Voltage: AC220-240V, 50/60Hz

Beam Angle: 15° /24° /38° /60°

CCT: 2700/3000/3500/4000/5000K


Track: 2wire/3wire/4wire/6wire

Housing Color: Black/White

Warranty: 5 years

LED TRACK LIGHT

Rome Series




DRIVER PARTNERS

TRIDONIC PHILIPS OSRAM ECKE

CHIP PARTNERS

CITIZEN CREE BRIDGELUX LUMINUS



Model: PS-TL20/25/30/35F80

Power : 20W /25W/30W/35W

Material: ALU

Lumen : 90-100Lm/w

CRI : 83/92/97Ra

PF : >0.9

SDCM : <3

THD : <15

Input Voltage: AC220-240V, 50/60Hz

Beam Angle: 15° /24° /38° /60°

CCT: 2700/3000/3500/4000/5000K

Track: 4wire


Housing Color: Black/White

Warranty: 5 years

Optics :Lens

LED TRACK LIGHT

Greece Series




DRIVER PARTNERS

TRIDONIC PHILIPS OSRAM ECKE

CHIP PARTNERS

CITIZEN CREE BRIDGELUX LUMINUS



Model PS-TL20/25G80

Power : 20W /25W30W

Material: ALU

Lumen : 90-100Lm/w

CRI : 83/92/97Ra

PF : >0.9

SDCM : <3

THD : <15

Input Voltage: AC220-240V, 50/60Hz

Beam Angle: 15° /24° /38° /60°

CCT: 2700/3000/3500/4000/5000K

Track: 2wire/3wire/4wire/6wire


Housing Color: Black/White

Warranty: 5 years

Optics: Reflector

LED TRACK LIGHT

Greece Series




DRIVER PARTNERS

TRIDONIC PHILIPS OSRAM ECKE

CHIP PARTNERS

CITIZEN CREE BRIDGELUX LUMINUS



PS-TL20/25/30/35H80

Power : 20W /25W/30W/35W

Material: ALU

Lumen : 90-100Lm/w

CRI : 83/92/97Ra

PF : >0.9

SDCM : <3

THD : <15

Optics : Reflector

Input Voltage: AC220-240V, 50/60Hz

Beam Angle: 15° /24° /38° /60°

CCT: 2700/3000/3500/4000/5000K

Track: 2wire/3wire/4wire/6wire

Housing Color: Black/White

Warranty: 5 years




APPLICATIONS

Supermarket, retail stores, ships car showrooms and so on

LED LINEAR TRACK LIGHT

Lund Series




DRIVER PARTNERS

TRIDONIC PHILIPS OSRAM ECKE

CHIP PARTNERS

PHILIPS OSRAM



Model: PS-TL40L45

Power : 40W	Input Voltage: AC220-240V, 50/60Hz
Material: ALU	Beam Angle: 60° /90°
Lumen : 100-110Lm/w	CCT:3000K/4000K/5000K/6000k
CRI : 85Ra	Track: 2wire/3wire/4wire/6wire
PF : >0.9	Housing Color: Black/White
SDCM : <3	Warranty: 5years
THD : <15	Optics: Lens

LED LINEAR TRACK LIGHT

Lund Series




DRIVER PARTNERS

TRIDONIC PHILIPS OSRAM ECKE

CHIP PARTNERS

BRIDGELUX SAMSUNG



Model: PS-TL20L31

Power : 20W	Input Voltage: AC220-240V, 50/60Hz
Material: ALU +PC cover	Beam Angle: 120°
Lumen : 70-80Lm/w	CCT: 3000K/4000K/5000K/6000k
CRI : 83Ra	Track: 3wire/4wire
PF : >0.9	Housing Color: Black/White
SDCM : <3	Warranty: 5 years
THD : <15	Optics: Diffuser

Various Installation Options




Track

Ceiling Mounted

Surface Mounted

Pendant



Track Accessories



Model: 6 wire Adaptor
Color: White/Black



Model: 2 wire Adaptor(Single Phase)
Color: White/Black



Model: 3 wire Adaptor
Color: White/Black



Model: 4 wire Adaptor(3 Phases)
Color: White/Black



Model: 4 wire Adaptor
Color: White/Black



Model: 2wire Track(Single Phase) Accessories
Color: White/Black



Model: 3 wire Track Accessories
Color: White/Black



Model: 4 wire Track(3 Phases) Accessories
Color: White/Black

LED DOWNLIGHT

Nice Series



DRIVER PARTNERS

TRIDONIC PHILIPS OSRAM ECKE


CHIP PARTNERS

PHILIPS OSRAM SAMSUNG




Model: PS-DL6A1525

Power : 6w
Material: Dia-casting ALU
Lumen : 80-90Lm/w
CRI : 83 Ra
PF : >0.9
SDCM : <3
THD : <15
Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 70°
CCT: 3000K/4000K/5000K/6000k
Optics: Reflector
Housing Color: White
Warranty: 5 years




Model: PS-DL10A153

Power : 10w
Material: Dia-casting ALU
Lumen : 80-90Lm/w
CRI : 83 Ra
PF : >0.9
SDCM : <3
THD : <15
Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 70°
CCT: 3000K/4000K/5000K/6000k
Optics: Reflector
Housing Color: White
Warranty: 5 years




Model: PS-DL15A154

Power : 15w
Material: Dia-casting ALU
Lumen : 80-90Lm/w
CRI : 83 Ra
PF : >0.9
SDCM : <3
THD : <15
Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 70°
CCT: 3000K/4000K/5000K/6000k
Optics: Reflector
Housing Color: White
Warranty: 5 years




Model: PS-DL30A156

Power : 30w
Material: Dia-casting ALU
Lumen : 80-90Lm/w
CRI : 83 Ra
PF : >0.9
SDCM : <3
THD : <15
Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 70°
CCT: 3000K/4000K/5000K/6000k
Optics: Reflector
Housing Color: White
Warranty: 5 years



Model: PS-DL40A158

Power : 40w
Material: Dia-casting ALU
Lumen : 80-90Lm/w
CRI : 83 Ra
PF : >0.9
SDCM : <3
THD : <15
Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 70°
CCT: 3000K/4000K/5000K/6000k
Optics: Reflector
Housing Color: White
Warranty: 5 years



APPLICATIONS

Residential, Buildings, Home, Office, Meeting, Room, School, Library, Factory, Warehouse, Hotel, Casino, Parking, Garage, Hospital, Commercial, Center, Supermarket, Shopping mall

LED DOWNLIGHT


York Series



Model: PS-DL12A163

Power : 12w
Material: Dia-casting ALU
Lumen : 90~110Lm/w
CRI : 83 Ra
PF : >0.9
SDCM : <3
THD : <15


Input Voltage: AC220~240V, 50/60Hz
Beam Angle: 90°
CCT: 3000K/4000K/5000K/6000K
Optics: Reflector+PC cover
Housing Color: White
Warranty: 5 years



Model: PS-DL15/20A164

Power : 15w/20w
Material: Dia-casting ALU
Lumen : 90~110Lm/w
CRI : 83 Ra
PF : >0.9
SDCM : <3
THD : <15


Input Voltage: AC220~240V, 50/60Hz
Beam Angle: 90°
CCT: 3000K/4000K/5000K/6000K
Optics: Reflector+PC cover
Housing Color: White
Warranty: 5 years



Model: PS-DL20/30A166

Power : 20w/30w
Material: Dia-casting ALU
Lumen : 90~110Lm/w
CRI : 83 Ra
PF : >0.9
SDCM : <3
THD : <15


Input Voltage: AC220~240V, 50/60Hz
Beam Angle: 90°
CCT: 3000K/4000K/5000K/6000K
Optics: Reflector+PC cover
Housing Color: White
Warranty: 5 years



Model: PS-DL30/40/50A168

Power : 30w/40w/50w
Material: Dia-casting ALU
Lumen : 90~110Lm/w
CRI : 83 Ra
PF : >0.9
SDCM : <3
THD : <15

Input Voltage: AC220~240V, 50/60Hz
Beam Angle: 90°
CCT: 3000K/4000K/5000K/6000K
Optics: Reflector+PC cover
Housing Color: White
Warranty: 5 years



LED DOWNLIGHT


Berlin Series



Model: PS-DL12C163

Power : 12w
Material: Dia-casting ALU
Lumen : 90~110Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15


Input Voltage: AC220~240V, 50/60Hz
Beam Angle: 60°
CCT: 3000K/4000K/5000K
Optics: Reflector+Glass cover
Housing Color: White
Warranty: 5 years



Model: PS-DL15/20C164

Power : 15w/20w
Material: Dia-casting ALU
Lumen : 100~110Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15


Input Voltage: AC220~240V, 50/60Hz
Beam Angle: 60°
CCT: 3000K/4000K/5000K
Optics: Reflector+Glass cover
Housing Color: White
Warranty: 5 years



Model: PS-DL20/30C166

Power : 20w/30w
Material: Dia-casting ALU
Lumen : 100~110Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15


Input Voltage: AC220~240V, 50/60Hz
Beam Angle: 60°
CCT: 3000K/4000K/5000K
Optics: Reflector+Glass cover
Housing Color: White
Warranty: 5 years



Model: PS-DL30/40/50C168

Power : 30W /40W/50W
Material: Dia-casting ALU
Lumen : 100~110Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15

Input Voltage: AC220~240V, 50/60Hz
Beam Angle: 60°
CCT: 3000K/4000K/5000K
Optics: Reflector+Glass cover
Housing Color: White
Warranty: 5 years




LED DOWNLIGHT

Paris Series



Model: PS-DL9C2025

Power : 9W	Input Voltage: AC220-240V, 50/60Hz
Material: Dia-casting ALU	Beam Angle: 15° /24° /36°
Lumen : 90-100Lm/w	CCT: 3000K/4000K/5000K
CRI : 83/92/97Ra	Optics: Reflector
PF : >0.9	Housing Color: White
SDCM : <3	Warranty: 5 years
THD : <15	



Model: PS-DL12C203

Power : 12W	Input Voltage: AC220-240V, 50/60Hz
Material: Dia-casting ALU	Beam Angle: 24° /40° /60°
Lumen : 90-100Lm/w	CCT: 3000K/4000K/5000K
CRI : 83/92/97Ra	Optics: Reflector
PF : >0.9	Housing Color: White
SDCM : <3	Warranty: 5 years
THD : <15	




Model: PS-DL20C204

Power : 20W	Input Voltage: AC220-240V, 50/60Hz
Material: Dia-casting ALU	Beam Angle: 24° /40° /60°
Lumen : 90-100Lm/w	CCT: 3000K/4000K/5000K
CRI : 83/92/97Ra	Optics: Reflector
PF : >0.9	Housing Color: White
SDCM : <3	Warranty: 5 years
THD : <15	



Model: PS-DL30/40/50C205

Power : 30W/40W	Input Voltage: AC220-240V, 50/60Hz
Material: Dia-casting ALU	Beam Angle: 24° /40° /60°
Lumen : 90-100Lm/w	CCT: 3000K/4000K/5000K
CRI : 83/92/97Ra	Optics: Reflector
PF : >0.9	Housing Color: White
SDCM : <3	Warranty: 5 years
THD : <15	




LED DOWNLIGHT

Paris Series




Model: PS-DL50C206

Power : 50W/60W	Input Voltage: AC220-240V, 50/60Hz
Material: Dia-casting ALU	Beam Angle: 24° /40° /60°
Lumen : 90-100Lm/w	CCT: 3000K/4000K/5000K
CRI : 83/92/97Ra	Optics: Reflector
PF : >0.9	Housing Color: White
SDCM : <3	Warranty: 5 years
THD : <15	




Model: PS-DL60C206

Power : 60W	Input Voltage: AC220-240V, 50/60Hz
Material: Dia-casting ALU	Beam Angle: 24° /40° /60°
Lumen : 90-100Lm/w	CCT: 3000K/4000K/5000K
CRI : 83/92/97Ra	Optics: Reflector
PF : >0.9	Housing Color: White
SDCM : <3	Warranty: 5 years
THD : <15	




Model: PS-DL80C208

Power : 80W	Input Voltage: AC220-240V, 50/60Hz
Material: Dia-casting ALU	Beam Angle: 24° /60°
Lumen : 90-100Lm/w	CCT: 3000K/4000K/5000K
CRI : 83/92/97Ra	Optics: Reflector
PF : >0.9	Housing Color: White
SDCM : <3	Warranty: 5 years
THD : <15	



Model: PS-DL100C2010

Power : 100W	Input Voltage: AC220-240V, 50/60Hz
Material: Dia-casting ALU	Beam Angle: 24° /60°
Lumen : 90-100Lm/w	CCT: 3000K/4000K/5000K
CRI : 83/92/97Ra	Optics: Reflector
PF : >0.9	Housing Color: White
SDCM : <3	Warranty: 5 years
THD : <15	



LED DOWNLIGHT


Lima Series



Model: PS-DL10C2325

Power : 10W
Material: Dia-casting ALU
Lumen : 80-90Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15


Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 15° /24° /38°
CCT: 3000K/4000K/5000K
Optics: Reflector
Housing Color: White
Warranty: 5 years



Model: PS-DL25C234

Power : 25W
Material: Dia-casting ALU
Lumen : 80-90Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15


Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 15° /24° /38°
CCT: 3000K/4000K/5000K
Optics: Reflector
Housing Color: White
Warranty: 5 years



Model: PS-DL-30C236

Power : 30W
Material: Dia-casting ALU
Lumen : 80-90Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15


Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 15° /24° /38°
CCT: 3000K/4000K/5000K
Optics: Reflector
Housing Color: White
Warranty: 5 years



Model: PS-DL50C238

Power : 50W
Material: Dia-casting ALU
Lumen : 80-90Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15

Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 15° /24° /38°
CCT: 3000K/4000K/5000K
Optics: Reflector
Housing Color: White
Warranty: 5 years



LED DOWNLIGHT


Dover Series



Model: PS-DL7/12C24


Power : 7W/12W
Material: ALU
Lumen : 80-90Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15

Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 15° /24° /36°
CCT: 3000K/4000K/5000K
Optics: Reflector
Housing Color: White
Warranty: 5 years




Suface Mounted LED Downlight

Lyon Series




Model: PS-MDL9R25

Power : 9W
Material: ALU
Lumen : 90~100Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15
Input Voltage: AC220~240V, 50/60Hz
Beam Angle: 45°
CCT: 3000K/4000K/5000K
Optics: Reflector
Housing Color: White/Black
Warranty: 5years




Model: PS-MDL12R3

Power : 12W
Material: ALU
Lumen : 90~100Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15
Input Voltage: AC220~240V, 50/60Hz
Beam Angle: 45°
CCT: 3000K/4000K/5000K
Optics: Reflector
Housing Color: White/Black
Warranty: 5years




Model: PS-MDL20R4

Power : 20W
Material: ALU
Lumen : 90~100Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15
Input Voltage: AC220~240V, 50/60Hz
Beam Angle: 45°
CCT: 3000K/4000K/5000K
Optics: Reflector
Housing Color: White/Black
Warranty: 5years




Model: PS-MDL30R5

Power : 30W
Material: ALU
Lumen : 90~100Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15
Input Voltage: AC220~240V, 50/60Hz
Beam Angle: 45°
CCT: 3000K/4000K/5000K
Optics: Reflector
Housing Color: White/Black
Warranty: 5years



Model: PS-MDL40R6

Power : 40W
Material: ALU
Lumen : 90~100Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15
Input Voltage: AC220~240V, 50/60Hz
Beam Angle: 45°
CCT: 3000K/4000K/5000K
Optics: Reflector
Housing Color: White/Black
Warranty: 5years



APPLICATIONS

Residential, Buildings, Home,Office, Meeting, Room, School, Library, Factory, Warehouse,Hotel, Casino,Parking, Garage, Hospital, Commercial, Center, Supermarket, Shopping mall

GIMABLE LED DOWNLIGHT

Sofia Series



DRIVER PARTNERS
TRIDONIC PHILIPS OSRAM ECKE


CHIP PARTNERS
CITIZEN CREE BRIDGELUX LUMINUS



Model: PS-GDL254

Power : 25W
Material: Dia-casting ALU
Lumen : 100-110Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15


Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 15° /24° /38°
CCT: 3000K/4000K/5000K
Optics: Reflector
Housing Color: White
Warranty: 5 years



Model: PS-GDL355

Power : 35W
Material: Dia-casting ALU
Lumen : 100-110Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15


Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 15° /24° /38°
CCT: 3000K/4000K/5000K
Optics: Reflector
Housing Color: White
Warranty: 5 years



Model: PS-GDL35/506

Power : 35W/50W
Material: Dia-casting ALU
Lumen : 100-110Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15

Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 15° /24° /38°
CCT: 3000K/4000K/5000K
Optics: Reflector
Housing Color: White
Warranty: 5 years



GRILLE LED DOWNLIGHT

Kuala Series



DRIVER PARTNERS
TRIDONIC PHILIPS OSRAM ECKE


CHIP PARTNERS
CITIZEN CREE BRIDGELUX LUMINUS



Model: PS-GRDL30R

Power : 30W
Material: Dia-casting ALU
Lumen : 100-110Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15


Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 15° /24° /38°
CCT: 3000K/4000K/5000K
Optics: Reflector/Lens
Housing Color: White
Warranty: 5 years



Model: PS-GRDL30SQ

Power : 30W
Material: Dia-casting ALU
Lumen : 100-110Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15


Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 15° /24° /38°
CCT: 3000K/4000K/5000K
Optics: Reflector/Lens
Housing Color: White
Warranty: 5 years



Model: PS-GRDL2*30SQ

Power : 2*30W
Material: Dia-casting ALU
Lumen : 100-110Lm/w
CRI : 83/92/97Ra
PF : >0.9
SDCM : <3
THD : <15

Input Voltage: AC220-240V, 50/60Hz
Beam Angle: 15° /24° /38°
CCT: 3000K/4000K/5000K
Optics: Reflector/Lens
Housing Color: White
Warranty: 5 years



MAIN PROJECTS

- ① Art Gallery project in Germany
- ② Car showrooms project in Austria
- ③ Clothes stores project in Thailand
- ④ Opera project in Dongguan
- ⑤ Supermarket project in Italy
- ⑥ Villa project in Mexico

POWERSTAR



为价值创造价值
Creat Value For Value

